

SF6400TVX

Category Product Family Power supply Heat source Cooking method Cleaning system EAN code

60cm Oven Electric ELECTRICITY Thermo-ventilated Vapor Clean 8017709262747



Aesthetics

Aesthetic Selezione Serigraphy colour Black Colour Stainless steel Serigraphy type Symbols Finishing Fingerproof Door With panel Design Selection squared Flat Handle Handle Colour Material Stainless steel Steel effect Type of steel Brushed Logo Embossed **Glass** Type Eclipse

Controls

DIGI

 Display name	DigiScreen	No. of controls	2
Display technology	LED	Control knobs	- Cucina restyling
Control setting	Knobs & touch buttons	Controls colour	Steel effect

Programme / Functions

No. of cooking functions Traditional cooking functions	8	
Static	🛞 Fan assisted	Circulaire
🛞 Turbo	ECO Eco	Large grill
😥 Fan grill (large)	Base	



Other functions

* Defrost by time

Cleaning functions



Vapor Clean

Options

	1	n
_	=	h.
_	- 1	а.
-	-	~

Time-setting options

Minute minder

Delay start and automatic end cooking Yes

Timer 1 **Rapid pre-heating** Yes

Technical	Features		

.5 🔗 🛛 🖬	<u>ت</u>		
Minimum Temperature	50 °C	Heating suspended	Yes
Maximum temperature	250 °C	when door is opened	
No. of shelves	5	Door opening type	Standard opening
Shelves type	Metal racks	Door	Temperate door
N. of fans	1	Removable door	Yes
No. of lights	1	Full glass inner door	Yes
Light type	Halogen	Removable inner door	Yes
User-replaceable light	Yes	Total no. of door glasses	3
Light Power	40 W	Safety Thermostat	Yes
Light when door is	Yes	Cooling system	Tangential
opened		Cooling duct	Single
Lower heating element	1200 W	Speed Reduction	Yes
power		Cooling System	
Upper heating element - Power	1000 W	Usable cavity space dimensions (HxWxD)	360x460x425 mm
Grill element - power	1700 W	Temperature control	Electro-mechanical
Large grill - Power	2700 W	Cavity material	Ever clean Enamel
Circular heating element - Power	2000 W		

Performance / Energy Label



Energy efficiency class А Net volume of the cavity 701 Energy consumption per 1.15 KWh cycle in conventional mode Energy consumption in 4.14 MJ conventional mode

Energy consumption in 2.88 MJ forced air convection Energy consumption per 0.80 KWh cycle in fan-forced convection Number of cavities 1 Energy efficiency index 95.2 %



Accessories Included

Rack with back stop	1	Enamelled deep tray (40mm)	1
Electrical Connec	ction		
Voltage Current Nominal power	220-240 V 13 A 3000 W	Frequency (Hz) Power supply cable length	50/60 Hz 115 cm
400.55 35-40 982-282 1990-500 560-568	54 585-E85 560-568 550 462 550 550 550 550 550 550 550 55	99,5 398 00 145 0 145 0 145 0 145 0 10 10 10 10 10 10 10 10 10	



Not included accessories



PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens



GT1T-2

Totally extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 418.5 mm. Material: Stainless steel AISI 430 polished.



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



BN620-1

Enamelled tray suitable for 45cm and 60cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.

GTT



Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



GT1P-2

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.

PPR2



Rectangular refractory stone PPR2. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions: L42 x H1,8 x D37,5 cm.

PALPZ



Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.

BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes


GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.





Symbols glossary (TT)





0:

Side lights: Two opposing side lights increase visibility inside the oven.



Rapid preheating: cooking is preceded by the preheating phase which allows the cooking compartment to reach the set temperature. This option reduces the time by up to 50%.



The oven cavity has 5 different cooking levels.

V.

DIGI

Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.

4.3 inch display with LED technology, usability
with knobs + 3 touch keys