

SF64M3TVX





Category 60cm
Product Family Oven
Power supply Electric
Heat source ELECTRICITY
Cooking method Thermo-ventilated
Cleaning system Vapor Clean
EAN code 8017709265786



Aesthetics

Aesthetic Selezione
Colour Stainless steel
Finishing Fingerproof
Design Flat
Material Stainless steel
Type of steel Brushed
Glass Type Eclipse

Serigraphy colour
Serigraphy type
Symbols
Door
With panel
Handle
Handle Colour
Logo
Black
Symbols
Symbols
With panel
Selection squared
Embossed

Controls

Control settingKnobsControl knobsCucina restylingNo. of controls3Controls colourSteel effect

Programme / Functions

No. of cooking functions
Traditional cooking functions

8



Static

8

Fan assisted



Circulaire



Turbo



Eco



Large grill

Ŕ

Fan grill (large)



Base



Other functions



Defrost by time

Cleaning functions



Vapor Clean

Options

Time-setting options

Automatic end cooking

Timer

1

Minute minder

Technical Features













Minimum Temperature Maximum temperature

50 °C 250 °C

Yes

No. of shelves

Shelves type

N. of fans

Metal racks

No. of lights

1

Light type

Halogen Yes

Light Power Light when door is

User-replaceable light

40 W Yes

opened

Lower heating element

1200 W

power

Upper heating element - 1000 W

Power

Grill element - power

1700 W

Large grill - Power Circular heating element 2000 W

2700 W

- Power

Heating suspended Yes

when door is opened

Door opening type Standard opening Temperate door Door

Removable door Yes Full glass inner door Yes

Removable inner door Yes Total no. of door glasses 3 Safety Thermostat Yes

Cooling system **Tangential** Cooling duct Single Speed Reduction Yes

Cooling System

Usable cavity space dimensions (HxWxD)

360x460x425 mm

Temperature control Cavity material

Electro-mechanical Ever clean Enamel

Performance / Energy Label





Energy efficiency class Net volume of the cavity 70 l

Energy consumption per 1.15 KWh

cycle in conventional

mode

Energy consumption in 4.14 MJ conventional mode

Energy consumption in

2.88 MJ

forced air convection Energy consumption per 0.80 KWh

cycle in fan-forced

convection

Number of cavities 1 Energy efficiency index 95.2 %

Accessories Included



Rack with back stop 1


Enamelled deep tray (40mm)

1

Electrical Connection

Voltage 220-240 V Current 13 A Nominal power 3000 W Frequency (Hz)
Power supply cable
length

50/60 Hz 115 cm





Not included accessories

PR3845X

GT1T-2

PRTX

BN620-1



Antifingerprint stainless steel. Cover for furniture in column installation of more ovens



GT1P-2

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.

PPR2



Totally extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 418.5 mm. Material: Stainless steel AISI 430 polished.



Rectangular refractory stone PPR2. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions: L42 x H1,8 x D37,5 cm.

PALPZ



Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.

BN640

GTP



Enamelled tray suitable for 45cm and 60cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes

GTT



Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they quarantee stability and facilitate the

smooth extraction of the trays.



Symbols glossary (TT)



A: Product drying performance, measured from A+++ to D / G depending on the product family



Air cooling system: to ensure a safe surface temperatures.



Defrost by time: Manual defrost function. At the end of the set duration, the function stops.



Triple glazed doors: Number of glazed doors.



Electric



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking



Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.



Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.



Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas burner.



Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.



ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment



Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.



Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.



Turbo: the heat comes from 3 directions: above, below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.





Side lights: Two opposing side lights increase visibility inside the oven.



The oven cavity has 5 different cooking levels.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.