

SF64M3TB

Category Product Family Power supply Heat source Cooking method Cleaning system EAN code

60cm Oven Electric ELECTRICITY Thermo-ventilated Vapor Clean 8017709324896



Aesthetics

Aesthetic Colour Finishing Design Material Type of steel Glass Type	Selezione Black Glossy Flat Glass Brushed Clear	2	Serigraphy colo Serigraphy typ Door Handle Handle Colour Logo		Grey Symbols Full glass Selection squared Black Silk screen	
Controls						
Control setting No. of controls	Knobs 3		Control knobs Controls colour		Cucina restyling Black	
Programme / F	unctions					
No. of cooking functi Traditional cooking			8			
C Static		🛞 Fan assisted		🛞 Circ	ulaire	
🛞 Turbo		ECO Eco		C Larg	ge grill	
😨 Fan grill (large)		Base				



Other functions

Defrost by time

Cleaning functions

V

Vapor Clean

Options

Time-setting options Minute minder Automatic end cooking Yes Timer

1

Technical Features

5	iii 🖳		
Minimum Temperature	50 °C	Heating suspended	Yes
Maximum temperature	250 °C	when door is opened	
No. of shelves	5	Door opening type	Standard opening
Shelves type	Metal racks	Door	Temperate door
N. of fans	1	Removable door	Yes
No. of lights	1	Full glass inner door	Yes
Light type	Halogen	Removable inner door	Yes
User-replaceable light	Yes	Total no. of door glasses	3
Light Power	40 W	Safety Thermostat	Yes
Light when door is	Yes	Chimney	Fixed
opened		Cooling system	Tangential
Lower heating element	1200 W	Cooling duct	Single
power		Speed Reduction	Yes
Upper heating element -	1000 W	Cooling System	
Power		Usable cavity space	360x460x425 mm
Grill element - power	1700 W	dimensions (HxWxD)	
Large grill - Power	2700 W	Temperature control	Electro-mechanical
Circular heating element - Power	2000 W	Cavity material	Ever clean Enamel

Performance / Energy Label



Energy efficiency classANet volume of the cavity701Energy consumption per
cycle in conventional
mode1.15 KWhEnergy consumption in
conventional mode4.14 MJ

Energy consumption in	2.88 MJ
forced air convection	
Energy consumption per	0.80 KWh
cycle in fan-forced	
convection	
Number of cavities	1
Energy efficiency index	95.2 %

Accessories Included



Enamelled deep tray 1 (40mm)


Electrical Connection

Voltage2Current1Nominal power3

220-240 V 13 A 3000 W

1

Frequency (Hz) Power supply cable length 50/60 Hz 115 cm





Not included accessories



PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens



GT1T-2

Totally extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 418.5 mm. Material: Stainless steel AISI 430 polished.



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



BN620-1

Enamelled tray suitable for 45cm and 60cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.

GTT



Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



GT1P-2

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.

PPR2



Rectangular refractory stone PPR2. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions: L42 x H1,8 x D37,5 cm.

PALPZ



Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.

BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes


GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.





Symbols glossary (TT)







Side lights: Two opposing side lights increase visibility inside the oven.



The oven cavity has 5 different cooking levels.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.

70 It

The capacity indicates the amount of usable space in the oven cavity in litres.