

# SI4642B





Product Family Hob
Built-in type Traditional
Dimensions 60 cm
Power supply Electric
Type Induction

**EAN code** 8017709288167



### **Aesthetics**





ColourBlackFinishingGlassAestheticsUniversaleMaterialGlassGlass typeCeramicGlass edgeAngled edgeType of control settingCompact Slider

SliderYesLED coloursRedControl knob positionFrontSerigraphy colourGrey

# **Programme / Functions**



Total no. of cook zones 4
No. of induction cook zones 4

Time-setting options Spegnimento automatico

No. of cooking zones with booster 4

Main on/off switch Yes

Power levels 9

## **Options**

















Worktop Cut-Out

Keep warm automatic

function

End cooking timer 1 Pause option Yes Minute minder 1 End of cooking alarm Yes

478-482x555-560 mm

Yes

Limited Power Consumption Mode

> 2400, 2800, 3500, 4000, **Limited Power** Consumption Mode in W 4500, 5000, 5500, 6000,

> > 7400 W

Yes

Yes

Si Advance

Yes

Control Lock / Child

Residual time indicator

Safety

Rapid level selection Yes

### **Technical Features**











Front-left - Induction - Single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm Rear-left - Induction - Single - 1.85 kW - Booster 2.10 kW - Ø 16.0 cm

Yes

Yes

Rear-right - Induction - Single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm Front-right - Induction - Single - 1.85 kW - Booster 2.10 kW - Ø 16.0 cm

**Automatic** setting

according to pan dimension

pan detection Yes, min 7 cm

**Permanent Automatic** Yes

Pot Detection with indication of the relative

control

Minimum pan diameter

indication

Automatic switch off

when overheat

Residual heat indicator Yes **Protection against** Yes

accidental start up

#### **Electrical Connection**

**Electrical connection** 7400 W

rating (W)

Current 33 A Voltage (V) 220-240 V Voltage 2 (V) 380-415 V Type of electric cable

Frequency (Hz) Power supply cable

length

Terminal box


Single and Double phase

50/60 Hz

120 cm

6 poles







## Not included accessories



TPK Stainless steel grill plate to cook Teppanyaki dishes



#### **SCRP**

Non-scratch hob scraper - suitable for induction and ceramic hobs



### Symbols glossary (TT)

7	0	П
•	)	Δ
~	2	91
	3	0

Permanent auto pot detection



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Compact Slider intuitive and easy to use



CUT\_OUT\_STANDARD\_72dpi



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Min diameter pot detection of 7 cm



Possibility to set the maximum power absorbion of the hob



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



This function allows you to keep cooked food warm without burner it



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Time elapsed: shows how long the cooking zone has been in use.